

TOPCON

TOPCON GRADE LASERS



RL-H1Sa Single Slope RL-H2Sa Dual Slope

- Slopes -5% to +10%
- Waterproof
- Rugged construction
- Rechargeable batteries
- \$3,295.00 (single) & \$4,995.00 (dual)

Item	Description	MSLP
57043	RL-H1Sa	\$ 2,995.00
57044	RL-H2Sa	\$ 3,995.00



RT-5SW Smart Slope Laser System

- World's most accurate laser.
- Accuracy 1/32" at 100ft
- Slopes up to 50%
- 4000ft diameter range
- Removable 2-way remote control
- Dual slope
- Auto grade alignment

Item	Description	MSLP
57109	RT-5SW	6,995.00



RL-H3C

The RL-3C is one of Topcon's best values. With a host of World-Leading features at an unbeatable price, it's the perfect general construction laser for any contractor's needs. Features Includes:

- Self-leveling
- Runs on C-cell batteries for 60 non-stop hours
- Auto-leveling shut-off safety feature
- Comes with LS-70 sensor and holder
- 500ft radius
- Waterproof

Item	Description	MSLP
57088	RL-H3CS Manual Slope	1,195.00
57073	RL-H3C	895.00



RL-H3A

- Self-leveling
- Long range of 2,500ft
- Auto-leveling shut-off safety feature
- Comes with LS-70 sensor and holder
- Waterproof

Item	Description	MSLP
57071	RL-H3A Super Long Range	1,695.00

RL-H3CL

- Self-leveling
- Long range of 650ft
- Auto-leveling shut-off safety feature
- Comes with LS-70 sensor and holder
- Waterproof

Item	Description	MSLP
57107	RL-H3CL Long Range	1,195.00

SPECIFICATIONS

	RL-H3A	RL-H3CL	RL-H3C	RL-H3CS
Beam: Type:	Red (Visible Diode)	Red (Visible Diode)	Red (Visible Diode)	Red (Visible Diode)
Beam: Power:	2.0mW (Max)	0.8mW (Max)	0.8mW (Max)	0.8mW (Max)
Operating Range:	350 m	250 m	150 m	150 m
Accuracy:	± 8" arc seconds	± 10" arc seconds	± 15" arc seconds	± 15" arc seconds
Self-leveling range:	± 3°	± 3°	± 3°	± 3°
Slope Range:	N/A	N/A	N/A	N/A
Rotary Speed:	600 RPM	600 RPM	600 RPM	600 RPM
Power:	4 D-Size Alkaline Batteries NiMH rechargeable batteries		4 C-Size Alkaline Batteries	
Battery Life:	Aproximately 60 hours, (alkaline) Aproximately 120 hours, (rechargeable)		Aproximately 60	
Dimensions:	8.7"L x 5.7"W x 9.5" H 220 x 144 x 241mm		6.5"L x 7.1"W x 7.6" H 167 x 182 x 189mm	
Weight	6.17 pounds, 2.9 kg w/batteries		4.1 pounds, 1.9 kg w/batteries	

TOPCON

TOPCON PIPE LASERS

TP-L4G

- Green beam
- Auto centering
- Auto LED plumb
- All metal and long range remote

Item	Description	MSLP
57048	TP-L4G	6,995.00



TP-L4GV

- Green beam
- Auto centering
- Smart line
- Auto zeroing
- LED plumb
- All-metal housing
- Long range remote

Item	Description	MSLP
57067	TP-L4GV	7,295.00

Specifications

	TP-L4GV	TP-L4AV	TP-L4G	TP-L4BG	TP-L4B
Laser Source	532 nm Diode	633 nm Diode	532 nm Diode	532 nm Diode	633 nm Diode
Beam Color	Green	Red	Green	Green	Red
Smart Line Auto Alignment	Yes	Yes	Yes	No	No
Auto Line Centering	Yes	Yes	Yes	Yes	Yes
Auto Grade Zeroing	Yes	Yes	Yes	Yes	Yes
Plumb Reference	Yes	Yes	Yes	Yes	Yes
Plumb Reference Type	Laser Diode	Laser Diode	LED	LED	LED
Smart Line Operating Range	500 ft (150 m)	500 ft (150 m)	500 ft (150 m)	N/A	N/A
Grade Range	-15%–40%	-15%–40%	-15%–40%	-15%–40%	-15%–40%
Line Range	±15%	±15%	±15%	±15%	±15%
Horizontal Accuracy	±10"	±10"	±10"	±10"	±10"
Battery Life	45hrs/32hrs	70hrs/48hrs	45hrs/32hrs	45hrs/32hrs	70hrs/48hrs
Alkaline/Rechargeable					
Standard Warranty	2 Years	2 Years	2 Years	1 Year	1 Year
Housing Construction	Cast Aluminum				
Waterproof Depth	At least 16.5 ft (5 m) for 24 hours				
Operating Temperature	-4F–122°F (-20°C–50°C)				

RC-200 Remote Control

Operating Range from TP-L4 Front	660ft (200m)
Operating Range from above panel	82ft (25m)
Battery Life	Approximately 8 Months



PIPE LASER TP-L4AV

- Smart line
- Auto centering and zeroing
- All-metal housing
- LED plumb
- Long-range remote

Item	Description	MSLP
57068	TP-L4AV	5,495.00



PIPE LASER TP-L4BG

- All-metal housing
- LED plumb
- Long-range remote

Item	Description	MSLP
57049	TP-L4BG	6,195.00



TOPCON



RL-VH3A

- Self-leveling
- Smart scan, Smart line, Smart plumb, and Smart focus!
- Optional remote
- Special indoor packages

Item	Description	MSLP
57016	RL-VH3A	4,495.00



RL-VH3D

- Self-leveling
- BEAM SCAN
- Horizontal / Vertical split-beam
- Special indoor package!

Item	Description	MSLP
57079	RL-VH3D	1,095.00



RL-VH3DR PACKAGE

- Self-leveling
- BEAM SCAN
- Horizontal / Vertical split-beam
- Special indoor package!

Item	Description	MSLP
57081	RL-VH3DR	1,595.00

**RL-VH3 G
RL-VH3 B**

Item	Description	MSLP
57017	RL-VH3G	5,995.00
57015	RL-VH3B	3,395.00

**Call
For The Best
Quote Today!**





APACHE LIGHTNING

Item	Description	MSLP
ATI 990044	LIGHTNING Model 44	295.00



APACHE BULLSEYE

Item	Description	MSLP
ATI991346	BULLSEYE 3+ (rechargeable)	1,445.00
ATI991340	BULLSEYE 3+ (alkaline)	1,295.00
ATI991376	BULLSEYE 5+ (rechargeable)	2,045.00
ATI991326	BULLSEYE 6 (rechargeable)	2,645.00
ATI991360	Magnetic mount for Bullseye	295.00



APACHE THUNDER

Item	Description	MSLP
ATI991823	THUNDER Model 54	150.00
ATI991284	THUNDER Model 56 (Interior)	150.00



APACHE TORNADO BLADE CONTROL

Item	Description	MSLP
ATI991330	BULLSEYE 5 MC	1,495.00
ATI992600	CONTROL BOX Model CB26	1,495.00
ATI992400	CONTROL BOX Model CB24+	995.00
ATI950054	Bracket for Control Box	50.00

APACHE REDHAWK

Item	Description	MSLP
ATI950295	REDHAWK (Mag/rod mount)	695.00



APACHE CYCLONE

Item	Description	MSLP
ATI991550	CYCLONE Model 64	325.00



APACHE HAWKEYE

Item	Description	MSLP
ATI950225	HAWKEYE	695.00



APACHE ARROW 2 PIPE LASER

Item	Description	MSLP
ATI991356	ARROW 2 HP Pipe Laser	4,995.00